

Technical data sheet

Article number:
302-00032

TC26 20.0



Product Group	Heat shrinkable tubing 2:1
Product Family	TC26
Material	Polyolefin, cross-linked (PO-X)
Colour	Black (BK)
Dielectric Strength	25 kV/mm
Elongation at break	500%(ASTM D 2671)
Longitudinal Change After Shrinkage	+/-5%
Min. Shrink Temperature - °C	+90 °C
Operating Temperature	-55 °C to +105 °C
Recov. Ø d max.	10.00 mm
Shrink Ratio	2:1
Supplied Ø D min.	21.0 mm
Tensile Strength	10 MPa
Wall (WT)	0.76 mm

RoHS ✓