

Technical data sheet

Article number:
435-00756

Religel Plus 500

Product Group	RELICON Religel Plus
Product Family	Religel Plus
Material	Silicone (SI)
Colour	Green (GN), Transparent (CL)
Density	0.97 g/cm ³ , 20 °C (DIN EN ISO 2811-2)
Gel Time	12 min. 23°C
Halogen-free	Yes
Mixing Ratio (weight)	1:1
Operating Temperature	-60 °C to +200 °C
Package Content packed in	bottle
Pack Cont.	500 ml
ROHS compliant	Yes
Shelf Life	Unlimited
Specifications	IEC 60529, Edition 2.2, 2013-08
Storage Temperature	+4 °C to +40 °C
Thermal Conductivity (max.)	0.15 W/mK
Thermal Conductivity (min.)	0.15 W/mK
Viscosity	1000 mPa*s, 23 °C (EN ISO 2555)

