DRAWING No. 152081

SHT. 1 OF 1 SHTS.

THIRD ANGLE PROJECTION

BS 8888

DO NOT SCALE
IF IN DOUBT ASK

Q.A.		H/S SETT	
H/S Q.A.		REL. INSP.	
H/S PROD		EXT.ISS.CODE	10

STANDARD PART (AFTER UNRESTRICTED RECOVERY)



EXPANDED (AS SUPPLIED)



NOTE
DIFFERENT WALL THICKNESS TOLERANCE AT SEAM

PART NO.	EXPANDED DIMENSIONS (AS SUPPLIED)			RECOVERED DIAMETERS		RECOVERED DIMENSIONS			
	Øh	Øj,k,l	p	ØH	ØJ,K,L	P	R	S	Hw,Jw,Kw,Lw
	MIN	MIN	TOL	MAX	MAX	NOM	±15%	NOM	+1.5,-0.3 (+.06,-.01)
573H534-*	60.2 (2.37)	36.1 (1.42)	152.4 ±15.2 (6.00 ±.60)	20.1 (.79)	20.1 (.79)	207.3 (8.16)	63.5 (2.50)	103.6 (4.08)	1.5 (.06)
573H534-8	60.2 (2.37)	36.1 (1.42)	138.7 ±15.2 (5.46 ±.60)	20.1 (.79)	20.1 (.79)	207.3 (8.16)	63.5 (2.50)	103.6 (4.08)	1.5 (.06)
573H534-*-01	60.2 (2.37)	36.1 (1.42)	90.9 ±10.2 (3.58 ±.40)	20.1 (.79)	20.1 (.79)	135.6 (5.34)	27.7 (1.09)	67.8 (2.67)	1.5 (.06)

FOR MOULDING PURPOSES ONLY

MOULD SHAPE	ØH	ØJ,K,L	P	R	S	Hw,Jw,Kw,Lw	Hw,Jw,Kw,Lw AT SEAM
	MAX	MAX	±6.4 (±.25)	±3.8 (±.15)	±6.4 (±.25)	MIN-MAX	MIN-MAX
573H534-*	17.5 (.69)	17.5 (.69)	207.3 (8.16)	63.5 (2.50)	103.6 (4.08)	1.3-1.8 (.05-.07)	1.3-3 (.05-.12)
573H534-*-01	17.5	17.5	135.6	27.7	67.8	1.3-1.8	1.3-3

* ALL MATERIALS UNLESS SPECIFIED OTHERWISE

Heatshrinkable moulded shapes Low Profile Transition Boots - HellermannTyton

ISSUE	NOTE No.	DRAWN	DATE
3	P1327	DC	06/10/10
2	P1304	DNH	09/02/10
1	P1194	S.Almond	02/04/08

HellermannTyton
Pennycross Close, Plymouth, Devon, England
Tel ++44 (0) 1752 701261 Fax ++44 (0) 1752 790058

Pl 2-3NX

NAME	S.Almond	SCALE	NTS
DATE	02/04/08	DIMS IN	mm (in)

ADHESIVE

A3 ORIGINAL SHEET SIZE 420mm x 297mm

SHT. 1 OF 1 SHTS.

TITLE
TRANSITION 3 TO 1

PART No. 573H534

DRAWING No. 152081