

# HellermannTyton

Wharf Approach, Aldridge, Walsall, WS9 8BX  
Tel: 01922 458151 Fax: 01922 743053

## Material Safety Data Sheet

EU-Directive 2001/58

**Product name :** HELLERMANN TYTON  
FOSPRO PX **Creation date :** 30.04.07  
**Ref.Nr.:** UK10544-3-300407 **Replaces:**

### 1. IDENTIFICATION OF PRODUCT AND COMPANY

**Product name :** FOSPRO PX  
Aerosol

**Application :** Lubricants

**Company :** Manufactured for HellermannTyton  
UK

**In case of emergency :(+44)(0)1278 727200**

### 1. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	EINECS	w/w %	symbol	R-phrases*
carbon dioxide	124-38-9	204-696-9	1-5	-	-
Distillates (petroleum), hydrotreated light; Kerosine - unspecified	64742-47-8	265-149-8	60-100	Xn	65-66
1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5- dihydro-	95-38-5	202-414-9	0-1	C,N	22-34-50/53
petroleum product additive	N0054		0-1	Xi,N	R36/38,R51/53

(\* Explanation risk-phrases : see chapter 15)

### 2. HAZARD IDENTIFICATION

**Health and Safety :** Extremely Flammable  
Repeated exposure may cause skin  
dryness or cracking.

**Environment :** Harmful to aquatic organisms, may cause  
long-term adverse effects in the aquatic  
environment.

**Other hazards :** Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.

### 3. FIRST AID MEASURES

**General Advice :** The usual precautions for handling chemicals should be observed  
If any symptoms should occur, seek medical advice.

**Contact with eyes :** If substance has got into eyes, immediately wash out with plenty of water

**Contact with skin :** Wash with water and soap.

**Inhalation :** Fresh air, keep warm and at rest.

**Ingestion :** Ingestion is unlikely to occur  
If swallowed accidentally, do not induce vomiting and seek medical advice.

### 4. FIRE-FIGHTING MEASURES

**Flash point (without propellant):** not available

**Explosion limits : upper limit :** not available

**lower limit :** not available

**Extinguishing media :** foam, carbon dioxide or dry agent

**Fire-fighting procedures :** Keep container(s) exposed to fire cool, by spraying with water

**Unusual exposure hazard :** Aerosols may explode if heated above 50°C

### 5. ACCIDENTAL RELEASE MEASURES

**Personal precautions :** Shut off all ignition sources  
Ensure adequate ventilation

**Environmental precautions :** Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

**Cleaning methods :** Absorb spillage in suitable inert material

### 6. HANDLING AND STORAGE

**Handling procedures :** Use only in well ventilated areas  
Do not pierce or burn aerosols, even after use.  
Do not spray on a naked flame or incandescent material.  
Do not breathe aerosols or vapours.

Avoid contact with skin and eyes.

**Storage procedures :** Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
Keep in a cool, dry, well ventilated place  
Keep out of reach of children.

## 7. EXPOSURE CONTROL AND PERSONAL PROTECTION

**Control procedures :** Ensure adequate ventilation  
Keep away from heat and sources of ignition

**Personal protection :** It is advisable to take precautions to avoid contact with skin and eyes when handling the product.  
Use only in well ventilated areas

**inhalation :** In case of insufficient ventilation, wear suitable respiratory equipment.

**hands and skin :** Wear suitable protective gloves

**eyes :** Wear safety goggles.

**Exposure limits :**

Hazardous ingredient	CAS-nr	method	
<b>EU established exposure limits:</b>			
carbon dioxide	124-38-9	TWA	5000 ppm

## 8. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

**Apperance : physical state :** CO2 propelled liquid

**colour :** amber

**odour :** Characteristic odour

**Boiling point/range :** not available

**Relative density :** not available

**pH :** not available

**Vapour pressure :** not available

**Relative vapour density :** not available

**Solubility in water :** Insoluble in water

**Flash point :** not available

**Auto-ignition :** not available

**Viscosity :** not available

**Evaporation rate :** not available

## 9. STABILITY AND REACTIVITY

**Conditions to be avoided :** Pressurized container : protect from sunlight and do not expose to

temperatures exceeding 50°C.  
Keep away from heat and sources of ignition  
No hazardous reactions known if used for its intended purpose

**Materials to be avoided :** Strong oxidising agent  
Reacts with acids

**Hazardous decomposition compounds :** carbon oxides

## 10. TOXICOLOGICAL INFORMATION

**Inhalation :** Inhalation of solvent vapours may give rise to nausea, headaches and dizziness

**Ingestion :** Ingestion is unlikely to occur  
After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.

**Skin contact :** Prolonged skin contact will result in defatting of the skin

**Eye contact :** Irritating to eyes

**Other information:** No experimental data available

## 11. ECOLOGICAL INFORMATION

**Other adverse effects :** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities  
No experimental data available

## 12. WASTE DISPOSAL

**National regulations :** Disposal should be in accordance with local, state or national legislation

## 13. TRANSPORT

**UN-number :** 1950

**Road/Rail - ADR/RID :** UN1950 Aerosols Class : 2, PG : NA,  
Class code : 5F, Label : 2.1

**Sea - IMDG :** UN1950 Aerosols Ltd Qty Class : 2.1,  
PG : NA, Label : 2.1

**EmS** F-D,S-U

**Air - IATA/ICAO :** UN1950 Aerosols, flammable Class : 2.1,  
PG : NA, Label : RFG

<b>Packing instr. LQ</b>	Y203
<b>PAX</b>	203
<b>CAO</b>	203

#### 14. REGULATORY INFORMATION

<b>Warning symbol(s) :</b>	F+
<b>Risk-phrase(s) :</b>	R12: Extremely flammable. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R66: Repeated exposure may cause skin dryness or cracking.
<b>Safety-phrase(s) :</b>	S2: Keep out of the reach of children. S16: Keep away from sources of ignition - No smoking. S23: Do not breathe spray. S37: Wear suitable gloves. S51: Use only in well-ventilated areas.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

#### 15. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

<b>*Explanation risk-phrases:</b>	R22: Harmful if swallowed. R34: Causes burns. R36/38: Irritating to eyes and skin. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.
-----------------------------------	--

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request.