




CFN Compact Fibre Node

Better Technology through Innovation

MADE TO CONNECT

Compact and Flexible



The CFN fibre splice closure is designed for a wide range of FTTx applications for both P2P and P2MP topologies.

The CFN Integrated Routing (IR) closures are supplied with a UV stable Polypropylene base. With base configurations of either 26 round ports and 1 oval port or 18 round ports and 1 oval port, the CFN accommodates a cable diameter range of 1.7 - 20.0mm when using mechanical cablelok seals.

The IR Fibre Management System (FMS) accommodates a maximum of 12 compact SE single element splice trays in the M length closure and 6 in the S length closure. The trays can be fitted with a range of fibre splice bridges including 3A and ANT.




View VR Model

Scan with your smart phone

Key Features

- **Compact dimensions**
 - Available in two lengths, S Length 355mm and M Length 410mm
 - Maximum fibre splice capacity
 - Medium - SE-IR 288 3A splices
 - Small - SE-IR 144 3A splices
 - 26 or 18 round ports and 1 oval port
 - Accommodates a maximum of 12 Compact SE-IR trays or 24 Compact SC-B trays (M Length)
- **Exceptional Fibre Management**
 - Positive fibre management to ensure consistent 15mm bend radii throughout
 - Fibre storage basket for loop through applications
 - Bi-directional routing
 - Off tray PLC splitter accommodation
- **Environmentally Sealed**
 - Cablelok compatible for all port sizes
 - Quick Release cover
 - Optional pressure release valve/cable location/toning point
 - Port Opening Tool Kit designed to be a safe, fast and straightforward solution for opening round ports
- **Secure Mounting**
 - Integrated closure mounting points for MOBRA, pole and facade fixing




Environmentally Sealed

The closure is Cablelok ready with 2 base options available.

The 27 port option offers 24 R Drop Ports, 2 B ports and 1 oval port. The 19 Port CFN offers 16 D Ports, 2 B Ports and 1 Oval port.

1 Quick Release Clamp

Both closures use a quick release clamp to ensure that the closure is sealed to IP68.



2 Pressure Release

Optional pressure release valve/cable location/toning point.



3 Port Opening Tool Kit

A safe, fast and straightforward solution for opening the round ports on the CFN Dome Closures.

The port opening tool kit is supplied with a single handle and 2 cutter assemblies for opening R/D ports and B/S ports.



Fibre Optic Splice Trays


Splice trays for the CFN are available in both SE and SC.

The trays are designed to be self-supporting, meaning they will stay in place while working on the fibre. The splice position is located at the front of tray to increase speed of installation, with only 1 measurement needed for all fibre splices on any given tray.

4 Single Element Trays

Features include:


- Fibre can be redirected to the opposite side on the tray
- Designed to manage 250µm, 900µm and Intermittently Bonded Ribbon Fibre
- Max. 24 fibre splice capacity (3A bridges double stacked)



5 Single Circuit Trays

Features include:

- Moulded 3A and ANT Splice Bridges
- Max. 12 fibre splice capacity




Exceptional Fibre Management

The Integrated Routing (IR) fibre management system offers excellent fibre distribution, throughout the closure from entry, onto the tray and on exit through the multiple drop ports.

The IR system has been designed to deliver speed, flexibility and high performance to any fibre installation.

6 Positive Fibre Management

- Fibre is actively managed between the tray and the backplane to prevent snagging and microbending
- Backplane design incorporates a 15mm minimum bend radius
- The backplane enables fibre to be routed both up and down for tray to tray applications




7 Easy Tray Addition

Additional trays can be easily clipped on to the backplane. Dedicated location slots for Single Element trays.



8 Loop Storage Basket


The loop storage basket is positioned directly over the oval port making for quick and easy installation of fibre loops.



9 Accessible FMS


Features include:

- Fibre Direction Change
- 2 x PLC Splitter Accommodation
- Up to 3m of 24 250µm Fibre Storage
- Fibre Retention



10 Port Anchoring Kits

Cable retention / strength member anchoring for the R, B and oval ports.




Secure Mounting

The CFN comes with 3 integrated mounting points for MOBRA, pole and façade installations.

11 Mounting Brackets

The base has 3 integrated closure mounting points which can be used with the moulded mounting bracket. The bracket can be mounted on a wall, pole or Mobra bracket.




CFN Mobra Mounting Bracket pictured.

Technical Information

Technical Diagrams


27 port CFN Medium Length Closure - SC Trays



Front view of Medium Length CFN Closure with SC-IR Trays.

Side view of Medium Length CFN Closure with SC-IR Trays.


27 port CFN Small Length Closure - SE Trays



Front view of Small Length CFN Closure with SE-IR Trays.


Side view of Small Length CFN Closure with SE-IR Trays.

27 Port Base Configurations



27 Port Base Diagram.


19 port CFN Medium Length Closure - SC Trays



Front view of Medium Length CFN Closure with SC-IR Trays.

Side view of Medium Length CFN Closure with SC-IR Trays.


19 port CFN Small Length Closure - SE Trays



Front view of Small Length CFN Closure with SE-IR Trays.

Side view of Small Length CFN Closure with SE-IR Trays.

19 Port Base Configurations



19 Port Base Diagram.

Part Numbers

CFN Closures

TYPE	Width D1	Width D2	Length L	Tray Type	Splice Protector Type	Port Count	Basket	Article-No.
CFNIRC-SXBBXW	250	180	335	12 SC-B	3A	27	Small	857-02450
CFNIRC-SXBBWX				6 SE-IR				857-02522
CFNIRC-MXBBXW			410	24 SC-B			Medium	857-02448
CFNIRC-MXBBWX				12 SE-IR				857-02528
CFNIRC-SXBBXS			335	12 SC-B	ANT		Small	857-02586
CFNIRC-SXBBSX				6 SE-IR				857-02582
CFNIRC-MXBBXS			410	24 SC-B			Medium	857-02588
CFNIRC-MXBBSX				12 SE-IR				857-02584
CFNIRC-SXBDXW			335	12 SC-B	3A	19	Small	857-02449
CFNIRC-SXBDWX				6 SE-IR				857-02520
CFNIRC-MXBDXW			410	24 SC-B			Medium	857-02447
CFNIRC-MXBDWX				12 SE-IR				857-02526
CFNIRC-SXBDXS			335	12 SC-B	ANT		Small	857-02585
CFNIRC-SXBDSX				6 SE-IR				857-02581
CFNIRC-MXBDXS			410	24 SC-B			Medium	857-02587
CFNIRC-MXBDSX				12 SE-IR				857-02583

All dimensions in mm unless otherwise stated. Subject to technical changes.

Accessories





TYPE	Product Type	Image	Description		Pack Qties	Article-No.
AK-CFN-R-PORT-06	Port Anchor Kits		CFN R Port Anchor		5	857-40922
AK-CFN-B-PORT-02			CFN B Port Anchor		2	857-40923
MB-CFN-PWB-001	Mounting Brackets		CFN Wall / Pole Bracket		1	857-40925
MB-CFN-MOBRA-BRKT			CFN Mobra Mounting Bracket		1	857-40926
PO-KIT-33041	Port Opening Tool		Port Opening Tool Sizes B, D, R & S	Port Opening Tool Handle	1	857-40928
				Cutter Assembly R & D Port		
				Cutter Assembly B & S Port		
PO-CA-KIT-33039	Port Opening Tool Replacement Cutter Assembly		D & R Port Replacement Cutter Assembly	Cutter Assembly R & D Port	1	857-40929
PO-CA-KIT-33040			B & S Port Replacement Cutter Assembly	Cutter Assembly B & S Port	1	857-40930

Subject to technical changes.

Bringing FTTX products to life in AR

Your perfect product information tool.

MADE TO CONNECT




Download our NEW Mobile App

The HT Connect App from HellermannTyton is the perfect product information tool.

Using Augmented Reality (AR) technology through your mobile phone or tablet, you can see a number of selected products from the HellermannTyton product range in a live environment.

The app is designed to give you a closer look at our products as well as giving you additional information including datasheets, installation guides, installation videos and links to website.





Europe

 **HellermannTyton GmbH – Austria**
Rennbahnweg 65
1220 Vienna
Tel.: +43 12 59 99 55-0
Fax: +43 12 59 99 11
Email: office@HellermannTyton.at
www.HellermannTyton.at

 **HellermannTyton – Bulgaria**
Email: officeBG@HellermannTyton.at
www.HellermannTyton.at

 **HellermannTyton – Czech Republic**
Email: officeCZ@HellermannTyton.at
www.HellermannTyton.cz

 **HellermannTyton – Denmark**
Industrivej 44A, 1.
4000 Roskilde
Tel.: +45 702 371 20
Email: htdk@HellermannTyton.dk
www.HellermannTyton.dk

 **HellermannTyton – Finland**
Äyrintie 12 B
01510 Vantaa
Tel.: +358 9 8700 450
Email: myynti@HellermannTyton.fi
www.HellermannTyton.fi

 **HellermannTyton S.A.S. – France**
2 rue des Hêtres - CS 80543
78197 Trappes Cedex
Tel.: +33 1 30 13 80 00
Fax: +33 1 30 13 80 60
Email: info@HellermannTyton.fr
www.HellermannTyton.fr

 **HellermannTyton GmbH – Germany**
Großer Moorweg 45
25436 Tornesch
Tel.: +49 4122 701-0
Fax: +49 4122 701-400
Email: info@HellermannTyton.de
www.HellermannTyton.de

 **HellermannTyton KFT – Hungary**
Kisfaludy u. 13
1044 Budapest
Tel.: +36 1 369 4151
Fax: +36 1 369 4151
Email: officeHU@HellermannTyton.at
www.HellermannTyton.hu

 **HellermannTyton Ltd – Ireland**
Unit A5 Cherry Orchard
Business Park
Ballyfermot, Dublin 10
Tel.: +353 1 626 8267
Fax: +353 1 626 8022
Email: sales@HellermannTyton.ie
www.HellermannTyton.co.uk

 **HellermannTyton S.r.l. – Italy**
Via Visco, 3/5
35010 Limena (PD)
Tel.: +39 049 767 870
Fax: +39 049 767 985
Email: info@HellermannTyton.it
www.HellermannTyton.it

 **HellermannTyton B.V. – Belgium/Netherlands**
Vanadiumweg 11-C
3812 PX Amersfoort
Tel.: +31 33 460 06 90
Email (NL): info@HellermannTyton.nl
Email (BE): info@HellermannTyton.be
www.HellermannTyton.nl
www.HellermannTyton.be

 **HellermannTyton AS – Norway**
Nils Hansens vei 13
0667 Oslo
Tel.: +47 23 17 47 00
Email: firmapost@HellermannTyton.no
www.HellermannTyton.no

 **HellermannTyton Sp. z o.o. – Poland**
Kotunia 111
62-400 Słupca
Tel.: +48 63 2237 111
Fax: +48 63 2237 110
Email: info@HellermannTyton.pl
www.HellermannTyton.pl

 **HellermannTyton – Romania**
Email: officeRO@HellermannTyton.at
www.HellermannTyton.at

 **OOO HellermannTyton – Russia**
40/4, Pulkovskoe road
BC Technopolis Pulkovo, office A 8081
196158, St. Petersburg
Tel.: +7 812 386 00 09
Fax: +7 812 386 00 08
Email: info@HellermannTyton.ru
www.HellermannTyton.ru

 **HellermannTyton – Slovenia**
Branch Office Ljubljana
Podružnica Ljubljana, Ukmarjeva 2
1000 Ljubljana
Tel.: +386 1 433 70 56
Fax: +386 1 433 63 21
Email: officeSI@HellermannTyton.at
www.HellermannTyton.si

 **HellermannTyton España s.l. – Spain / Portugal**
Avda. de la Industria 37 2º 2
28108 Alcobendas, Madrid
Tel.: +34 91 661 2835
Fax: +34 91 661 2368
Email:
HellermannTyton@HellermannTyton.es
www.HellermannTyton.es

 **HellermannTyton AB – Sweden**
Isafjordsgatan 5
16440 Kista
Tel.: +46 8 580 890 00
Fax: +46 8 580 348 02
Email: kundsupport@HellermannTyton.se
www.HellermannTyton.se

 **HellermannTyton Engineering GmbH – Turkey**
Saray Mah Dr. Adnan Büyükdüz Cad. No:4
Akkom Office Park 2. Blok Kat: 10
34768 Ümraniye-İstanbul
Tel.: +90 216 687 03 40
Fax: +90 216 250 32 32
Email: info@HellermannTyton.com.tr
www.HellermannTyton.com.tr

 **HellermannTyton Ltd – UK**
William Prance Road
Plymouth International Medical
and Technology Park
Plymouth, Devon PL6 5WR
Tel.: +44 1752 701 261
Fax: +44 1752 790 058
Email: uk-pt@HellermannTyton.com
www.HellermannTyton.co.uk

 **HellermannTyton Ltd – UK**
Sharston Green Business Park
1 Robeson Way
Altrincham Road, Wythenshawe
Manchester M22 4TY
Tel.: +44 161 947 2200
Fax: +44 161 947 2220
Email: uk-pt@HellermannTyton.com
www.HellermannTyton.co.uk

 **HellermannTyton Ltd – UK**
Cley Road, Kingswood Lakeside
Cannock, Staffordshire
WS11 8AA
Tel.: +44 1543 728282
Fax: +44 1543 728284
Email: uk-pt@HellermannTyton.com
www.HellermannTyton.co.uk

 **HellermannTyton Data Ltd – UK**
Waterside House, Edgar Mobbs Way
Northampton NN5 5JE
Tel.: +44 1604 707 420
Fax: +44 1604 705 454
Email: sales@htdata.co.uk
www.htdata.co.uk

Middle East

 **HellermannTyton – UAE**
Email: info@HellermannTyton.ae
www.HellermannTyton.ae

North America

 **HellermannTyton – Canada**
Tel.: +1 905 726 1221
Fax: +1 905 726 8538
Email: sales@HellermannTyton.ca
www.HellermannTyton.ca

 **HellermannTyton – Mexico**
Tel.: +52 333 133 9880
Fax: +52 333 133 9861
Email: info@HellermannTyton.com.mx
www.HellermannTyton.com

 **HellermannTyton – USA**
Tel.: +1 414 355 1130
Fax: +1 414 355 7341
Email: corp@htamericas.com
www.HellermannTyton.com

South America

 **HellermannTyton – Argentina**
Tel.: +54 11 4754 5400
Fax: +54 11 4752 0374
Email: ventas@HellermannTyton.com.ar
www.HellermannTyton.com.ar

 **HellermannTyton – Brazil**
Tel.: +55 11 4815 9000
Fax: +55 11 4815 9030
Email: vendas@HellermannTyton.com.br
www.HellermannTyton.com.br

Asia-Pacific

 **HellermannTyton – Australia**
Tel.: +61 2 9525 2133
Fax: +61 2 9526 2495
Email: cservice@HellermannTyton.com.au
www.HellermannTyton.com.au

 **HellermannTyton – China**
Tel.: +86 510 8528 2536
Fax: +86 510 8528 2731
Email: cservice@HellermannTyton.com.cn
www.HellermannTyton.com.cn

 **HellermannTyton – Hong Kong**
Tel.: +852 2831 9090
Fax: +852 2832 9381
Email: cservice@HellermannTyton.com.hk
www.HellermannTyton.com.hk

 **HellermannTyton – India**
Tel.: +91 120 413 3384
Email: cservice@HellermannTyton.co.in
www.HellermannTyton.co.in

 **HellermannTyton – Japan**
Tel.: +81 3 5790 3111
Fax: +81 3 5790 3112
Email: mkt@hellermannnyton.co.jp
www.HellermannTyton.co.jp

 **HellermannTyton – Republic of Korea**
Tel.: +82 32 833 8012
Fax: +82 32 833 8013
Email: cservice@HellermannTyton.co.kr
www.HellermannTyton.co.kr

 **HellermannTyton – Philippines**
Tel.: +63 2 752 6551
Fax: +63 2 752 6553
Email: cservice@HellermannTyton.com.ph
www.HellermannTyton.com.ph

 **HellermannTyton – Singapore**
Tel.: +65 6 586 1919
Fax: +65 6 752 2527
Email: cservice@HellermannTyton.sg
www.HellermannTyton.com.sg

 **HellermannTyton – Thailand**
Tel.: +662 237 6702 / 266 0624
Fax: +662 266 8664
Email: cservice@HellermannTyton.co.th
www.HellermannTyton.com.sg

Africa

 **HellermannTyton – South Africa**
Tel.: +27 11 879 6600
Fax: +27 11 879 6603
Email: jhb.sales@HellermannTyton.co.za
www.HellermannTyton.co.za

HellermannTyton

HellermannTyton Data Ltd – UK

Waterside House,
Edgar Mobbs Way
Northampton NN5 5JE
Tel.: +44 1604 707 420
Fax: +44 1604 705 454
Email: sales@htdata.co.uk
www.htdata.co.uk