




Front Cable Management

1U and 2U

Application/Product Description

The front cable management panel is available in both 1U and 2U sizes. Each panel has 5 plastic rings, which hold and support the cables in position. It is recommended that there is provision for cable management for every 2U of cabling or patching in a cabinet or rack.



1U and 2U Front Cable Management Panels


Technical Data

Style	2U			1U		
Part No.	2CTV-P/BK		2CTV-P/RS/BK*	1CTV-P/BK		1CTV-P/RS/BK*
Dimensions (mm)	H	W	D	H	W	D
	88.0	484.0	83.0	44.0	484.0	83.0
Weight (kg)	812			450		
Ring Depth (mm)	75					
Materials	ABS					
Colour	Black					


*Rack Snaps included.

Technical Diagrams


1U



Front view



Side view



Top view



Rear Cable Management

1U

Application/Product Description

The Rear Cable Management bar is sold in two versions. The CM20000G is compatible with Global and MegaBand panels whereas the CM20000HD is compatible with the GigaBand and Alpha Snap Panels.




Rear Cable Management

Technical Data


Panel Compatibility	Global and MegaBand Panels			GigaBand and Alpha Snap Panels		
Part No.	CM2000G			CM2000HD		
Dimensions (mm)	H	W	D	H	W	D
	18.0	140.0	126.0	18.0	140.0	126.0
Weight (kg)	298			298		
Ring Depth (mm)	75					
Materials	ABS					
Colour	Black					

Both cable managers are supplied with 48 cable ties.

Technical Diagrams



Front view



Top view




Brush Strip Panel

1U

Application/Product Description

The brush strip panel presents a 2" 'letter box' style holes with a brush strip attached to cover the holes. The brushes help maintain a constant airflow within the cabinet or rack.



1U Brush Strip Panel

Technical Data

Style	1U		
Part No.	1CTLB-BRUSH/BK		
Dimensions (mm)	H	W	D
	44.0	484.0	2.0
Weight (kg)	210		
Materials	Mild Steel, Black Powder Coated		
Colour	Black		

Both cable managers are supplied with 48 cable ties.



Blank Panels

1U and 2U

Application/Product Description

A range of 2 blank panels which can be used within any standard cabinet. The blank panels are supplied with either Rack Snaps, Cage Nuts, 12-24 rack Screws or without fixings.




1U and 2U Blanking Panels

Technical Data


Style	2U			1U		
Part No.	2U-BP			1U-BP		
Dimensions (mm)	H	W	D	H	W	D
	88	483	2	44	483	2
Panel Weight (g)	654			306		
Materials	Mild Steel, Black Powder Coated					

Technical Diagrams

2U Blank Panel



1U Blank Panel





Rack Snaps

Single and Triple

Application/Product Description

The Single Rack Snap is available individually, in packs of 50 or 100 and require M5 screws. Patch panel installation with the Rack Snap is significantly faster than using cage nuts. NB: The single rack snaps are not supplied with M5 screws.

The Triple Rack Snap is available individually or in packs of 100 and is supplied together with M5 screws.




Single and Triple Rack Snaps

Technical Data

Style	Triple Rack Snaps			Single Rack Snap		
Part No.	RS002		RS100	RS103	RS103(50)	RS103(100)
Dimensions (mm)	H	W	D	H	W	D
	44.0	14.0	19.0	16.0	14.0	19.0
Weight (g)	42.0		2034.0	2.0	100.0	200.0
M5 Screws	Supplied			Not Supplied		
Materials	Polyoxymethylene (POM) / Brass Insert					
Colour	Black					


Technical Diagrams

Triple Rack Snap




Front view

Side view



Top view

Single Rack Snap



Front view

Side view

Top view