


CATIA V5



Revision Level

Drawing

State

Part

01.2

Design Release

C

Revision Record

Changed

Date

Approved

Date





SEE ECN# 013690

CJR

1/25/17

EJH

1/25/17

ISOMETRIC VIEW
(SCALE 1:1)

REFERENCE:

PERFORMANCE REQUIREMENTS AT DRY AS MOLDED:

1. FIR TREE PUSH IN FORCE: REF. 10 LBS MAX IN EACH APPLICABLE OVAL HOLE SIZE AND A PLATE THICKNESS OF 1.8mm
2. FIR TREE PULL OUT FORCE: REF. 25 LBS MIN IN EACH APPLICABLE OVAL HOLE SIZE AND A PLATE THICKNESS OF 1.8mm
3. SHEET METAL THICKNESS RANGE: 0.60mm - 2.5mm
4. APPLICABLE OVAL HOLE SIZES:
 - A. 6.2 X 12.2mm
 - B. 6.5 x 12.5mm
 - C. 6.5 x 13.0mm
 - D. 7.0 x 12.0mm

01.2

Material

PA66HIRHS
COLOR: NATURAL

Units millimeters

Tolerance defined on
each dimension

The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.

Drawn

CJR

6/14/16

Approved

SJA

6/14/16

HellermannTyton

North America
Email: corp@htamericas.com
Web: www.hellermann.tyton.com

Article/Type-No

BCSFTOVAL2/ 151-01884

Title

TAPE CLIP WITH SHORT OVAL FIR TREE

Drawing-No

16-0407-011-CSU

PRODUCTION : Phase

Scale 2:1

Project Number

16-0407

Format AH

Sheet 1/1