

Technical drawing of a tie rod assembly. The drawing includes three views: a front view on the left showing a cross-section of the rod with a central nut and a hexagonal flange; a side view on the right showing the rod's profile with a central nut and a hexagonal flange; and a detail view on the far right showing a section of the rod with a central nut and a hexagonal flange. A leader line points to the detail view with the text: T50ROS SEE CHART FOR THE TIE DRAWING AND MATERIAL.

Material SEE CHART	Units: millimeters	<div>The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.</div>	Drawn	CTF	8/10/2016	Article/Type-No	SEE TABLE	Scale	2:1
	Dimension without tolerances details to:		Approved	KAC	8/10/2016	Title	T50ROS OUTSIDE SERRATED CABLE TIE WITH BHMB BLIND HOLE MOUNT	Project Number	PRP 16-1308
	<div>.XXX = ±. 013 .XX = ±. 13 .X = ±. 3 None = ±. 8 < = ±0. 5°</div>		<div><div>HellermannTyton</div><div>North America Email: corp@htamericas.com Web: www.hellermann.tyton.com</div></div>			Drawing-No	PRE-PRODUCTION : Phase	Format	AH
	Dimension Formatted mm/[in]					16-1308-010-CSU			Sheet