

SW

| Revision level | | | Revision Record | Changed | Date | Approved | Date |
|----------------|----------------|------|-----------------|---------|------|----------|------|
| Drawing | State | Part | | | | | |
| 00.0 | Design Release | | | | | | |

ISOMETRIC VIEW
SCALE 1.5 : 1
PRODUCT SHIPPED IN CLAMP
OPEN POSITION AS SHOWN

MINIMUM BUNDLE DIAMETER

MAXIMUM BUNDLE DIAMETER

REFERENCE:

1. SHEET METAL THICKNESS RANGE: 0.60mm - 9.00mm

2. APPLICABLE HOLE SIZE:

A. 6.50mm +/-0.40

B. 6.35mm +/-0.20

C. 6.60mm +/-0.20

D. 6.35mm HEX +/-0.20

| GLOBAL PART DESCRIPTION | BUNDLE TYPES | (A) MINIMUM DIAMETER | (B) MAXIMUM DIAMETER | IRCA CLAMP | | | IRCFT6.5LG CONNECTOR CLIP | | |
|----------------------------|--------------|----------------------|----------------------|-----------------|-------------|-------|---------------------------|-------------|-------|
| | | | | DRAWING | MATERIAL | COLOR | DRAWING | MATERIAL | COLOR |
| IRCAFT6.5LG-PA66HIRHSUV-BK | SOFT | 6.2 [.24] | 13.7 [.54] | 16-1639-001-CSU | PA66HIRHSUV | BLACK | 16-1645-051-CSU | PA66HIRHSUV | BLACK |
| | HARD | 5.4 [.21] | 12.9 [.51] | | | | | | |

Notes

Material

SEE CHART

Units: millimeters

Dimension without tolerances details to:

.XXX = ±.013

.XX = ±.13

.X = ±.3

None = ±.8

< = ±0.5*

Dimension Formatted mm/[in]

The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.

Drawn

MHT

06/24/2019

Approved

CTF

06/24/2019

HellermannTyton

North America

Email: corp@htamericas.com

Web: www.hellermann.tyton.com

| Article/Type-No | | Scale |
|---|--|----------------|
| IRCAFT6.5LG | | 2:1 |
| Title | | Project Number |
| INLINE RATCHET P-CLAMP A WITH 6.5mm LONG FIR TREE | | PRP19-0319 |
| Drawing-No | | Format |
| 19-0319-101-CSU | | C |
| Production : Phase | | Sheet |
| | | 1/1 |