




Revision level		Revision Record	Changed	Date	Approved	Date
part	drawing					
—	04	See ECN 015303	CTF	07/18/19	GAL	07/18/19



04

	Aerospace Spec Tie SAEAS33671	Product Code	Cable Range (mm)	Material	A	B	D	E	G	H	Min Loop Tensile Strength (newtons)
SEE CHART	no	RT255S_HIR	25 to 50	PA66HIRHSUV	1.8±0.2	12.6±0.3	9.3 ±0.3	20.0 ±0.5	225.0 ±5.0	15.5 ±1.2	1115
Material											
Dimension tolerances unless otherwise specified .XXXX = ± .0130 .XXX = ± .130 .XX = ± .30 .X = ± .8 ∠ = ± 0.5 °	ACAD MECH 2010	 	Drawn	A.A.C.	04/07/03	Scale 1:1			Computer File Number CT\CST\2252008_04		
			Approved	K.A.C.	04/25/11	Title					
Dimension Units mm	ALL PROPRIETARY RIGHTS IN THE SUBJECT MATTER SHOWN ON THIS DRAWING ARE EXCLUSIVE PROPERTY OF HELLERMANN TYTON		HellermannTyton® 7930 N. Faulkner Rd. Milwaukee, WI 53224 Ph: (414) 355-1130 Fx: (414) 362-8338			RT255S 250 LB RELEASABLE CABLE TIE WITHOUT BUCKLE MOUNT					
PERFORMANCE SPECIFICATION						Drawing-No			Format AH		
						CT2252008CST					
						Sheet 1 of 1					