

Identification tags for cable bundle, "Ladder Style", thermal transfer

TAGPU – UV-stabilised Tiptags

TAGPU is a specially designed cable marker for identifying larger wire and cable bundles, where a permanently legible and UV resistant marking is required. The cable markers consist of a robust and flexible polyurethane material and are especially suited for harsh environments. They are supplied pre-cut and have been formatted into a convenient "ladder" system. The markers are applied to cable and harness assemblies with cable ties, and are also suitable for retrofit purposes. The material has been conditioned for printing on both thermal transfer and laser beam printers. Simply print and press out the required TAGPU and apply with cable ties.

Print with HellermannTyton's premium range of thermal printers and ribbons or a laser beam marking device.

Features and benefits

- UV-stabilised
- For larger cables and wires, bundles
- Robust and flexible material
- Thermal transfer or laser beam printable
- Available in white or yellow
- Halogen Free
- Good mechanical strength and highly flexible
- Delivery in convenient storage boxes






TAGPU - Tiptags "Ladder Style".

MATERIAL	Polyurethane (PUR)
Operating Temperature	-25 °C to +80 °C
Recommended Ribbon Type	TTRHT
Thermal Transfer Printer	TT430, TT4030

HF ✓

RoHS ✓



TYPE	Length (L)	Width (W)	Pack Cont.	Colour	Article-No.
TAGPU10X51-4WH	51.0	10.0	400 pcs.	White (WH)	556-80506
	51.0	10.0	2,000 pcs.	White (WH)	556-80500
TAGPU10X51-4YE	51.0	10.0	400 pcs.	Yellow (YE)	556-80507
	51.0	10.0	2,000 pcs.	Yellow (YE)	556-80501
TAGPU20X51-4WH	51.0	20.0	200 pcs.	White (WH)	556-80508
	51.0	20.0	1,000 pcs.	White (WH)	556-80504
TAGPU20X51-4YE	51.0	20.0	200 pcs.	Yellow (YE)	556-80509
	51.0	20.0	1,000 pcs.	Yellow (YE)	556-80505
TAGPU20X51-6WH	51.0	20.0	200 pcs.	White (WH)	556-80510
	51.0	20.0	1,000 pcs.	White (WH)	556-80502
TAGPU20X51-6YE	51.0	20.0	200 pcs.	Yellow (YE)	556-80511
	51.0	20.0	1,000 pcs.	Yellow (YE)	556-80503

All dimensions in mm. Subject to technical changes.

Minimum Order Quantity (MOQ) may differ from package content. Other packaging options may also be available. More colours on request.



For product specific approvals and specifications please refer to the Appendix.