

Self-laminating labels, laser printer

Helatag 1105 (White-Transparent)

These labels are ideal for marking cables of a larger diameter. The type 1105 self-laminating labels exceed the length of 100 mm and are made of a thicker material than type 1104.

Because of its greater material rigidity these labels can be easily removed from the sheet and applied by hand to larger cables and hoses.

Features and benefits

- High-quality self-laminating labels
- Suitable for marking of wires and cables
- Laminating function gives excellent protection against humidity and mechanical abrasion
- Rounded edge design gives additional bonding strength
- Thicker material (50 micron) for longer labels
- Simple and efficient label design and printing with TagPrint Pro labelling software
- Templates available from www.HellermannTyton.com for those wishing to use MS Word
- Clear protective box to ensure labels stay as good as new



Software TagPrint Pro for troublefree printing see page 527.

For MS-Windows Word design templates for simple applications please refer to www.HellermannTyton.com (Media Centre).




Laminating the mark gives long-term print survivability.

MATERIAL	Type 1105, Polyester, white transparent, self-laminating (1105)
Operating Temperature	-40 °C to +150 °C
Curing Temperature	from +2 °C
Adhesive	Acrylic
Thickness of Foil	50 µm
Chem. Material Properties	Excellent resistance to alcohol, gasoline, cleaning solvents, butanol, ethyl and Butylcellosolve solvent, battery acid.

HF ✓

RoHS ✓



TYPE	Bundle Ø min.	Bundle Ø max.	Width (W)	Height (H)	Height (H2)	Labels per Sheet	Pack Cont.	Colour	Article-No.
TAG138LA4-1105-WHCL	11.8	23.6	38.1	19.1	93.1	15 pcs.	500 pcs.	White (WH), Transparent (CL)	594-13876
TAG139LA4-1105-WHCL	18.2	36.4	38.1	25.4	139.7	10 pcs.	500 pcs.	White (WH), Transparent (CL)	594-13976

All dimensions in mm. Subject to technical changes.

Minimum Order Quantity (MOQ) may differ from package content. Other packaging options may also be available.



Add items to your watchlist!
www.HT.click/9-483

