



Tamper-evident security labelling, thermal transfer

Helatag 1208, fragmenting

These special labels are optimally suited for tamper-proof identification of valuable inventory items as well as a security and guarantee seal for components and housings.


Features and benefits

- Security label
- Fragments on removal
- Designed weak spots makes label removal time consuming



Helatag 1208 – a secure way of identifying if an asset label has been tampered with.

MATERIAL	Type 1208, Acetate foil, white, tamper-proof (1208)
Operating Temperature	-40 °C to +150 °C
Curing Temperature	from +4 °C
Adhesive	Acrylic
Thickness of Foil	56 µm
Chem. Material Properties	Resistant to oils, water and solvents.
Recommended Ribbon Type	TT822OUT
Thermal Transfer Printer	TT431, TT4030



RoHS



TYPE	Width (W)	Height (H)	Width of Liner (WL)	Labels per Row	Pack Cont.	Colour	Article-No.
TAG71TD6-1208-WH	12.7	11.1	101.6	6 pcs.	15,000 pcs.	White (WH)	596-20871
TAG15TD3-1208-WH	25.4	12.7	85.1	3 pcs.	7,500 pcs.	White (WH)	596-12080
TAG27TD2-1208-WH	38.1	19.1	85.1	2 pcs.	2,500 pcs.	White (WH)	596-12082
TAG67TD2-1208-WH	38.1	31.8	85.1	2 pcs.	2,500 pcs.	White (WH)	596-12087
TAG69TD2-1208-WH	40.6	22.9	89.0	2 pcs.	2,500 pcs.	White (WH)	596-12089
TAG73TD1-1208-WH	50.8	25.4	55.0	1 pc.	2,000 pcs.	White (WH)	596-31208
TAG66TD1-1208-WH	50.8	36.5	56.8	1 pc.	1,000 pcs.	White (WH)	596-12086

All dimensions in mm. Subject to technical changes.

Minimum Order Quantity (MOQ) may differ from package content. Other packaging options may also be available.

