# HelaTape Power - Rubber and higher voltage tapes

## HelaTape Power - Self-amalgamating rubber tapes

HelaTape Power 600 - Self-amalgamating low voltage tape

• HelaTape Power 420 - High temperature glass cloth tape



HelaTape Power 420 is a woven glass fabric tape with a service temperature rating of 130°C.

#### **Features and Benefits**

- Woven glass fabric tape with thermosetting rubber-based adhesive
- High tensile strength
- Excellent tear and abrasion resistance
- Operating temperature rating of 130°C



HelaTape Power 600 is a self-amalgamating low-voltage rubber tape.

#### **Features and Benefits**

- Self-amalgamating low voltage rubber tape
- Primary insulation at not more than 600 volts
- Easily conforms to irregular shapes and surfaces
- Void-free electrically stable layering
- Compatible with all extruded dielectric cable insulations
- Recommended use in conjunction with HelaTape Flex for outer jacketing

MATERIAL	Glassfibre Cloth (GF-F)
Operating Temperature	+130 °C
Tensile Strength	6.5 MPa
Elongation at break	5 %



MATERIAL	Natural Rubber (NR)
<b>Operating Temperature</b>	+80 °C
Intermittent Operating Temperature	+95 °C
Tensile Strength	2.40 MPa
Elongation at break	450 %
Volume Resistance	10 <sup>13</sup> Ω cm
Dielectric Strength	25 kV/mm



### • HelaTape Power 420 - High temperature glass cloth tape

ТҮРЕ	Thickness (T)	Width (W)	Length (L)	Colour	Article-No.
HTAPE-POWER420	0.18	19.0	20.0 m	White (WH)	711-00101

All dimensions in mm. Subject to technical changes

Minimum Order Quantity (MOQ) may differ from package content.

### HelaTape Power 600 - Self-amalgamating low voltage tape

ТҮРЕ	Thickness (T)	Width (W)	Length (L)	Colour	Article-No.
	0.76	19.0	6.7 m	Black (BK)	711-00200
HTAPE-POWER600	0.76	38.0	6.7 m	Black (BK)	711-00201

All dimensions in mm. Subject to technical changes.

Minimum Order Quantity (MOQ) may differ from package content.