



SW2014



Revision level			Revision Record	Changed	Date	Approved	Date
Drawing	State	Part					
00.0	Design Release		SEE ECN# 013460	GRW	5/31/2016	KAC	5/31/2016



Multimode Duplex LC to ST Fiber optic Cable Assembly

NOTES: 1) Test all (100%) connectors for Insertion Loss (I.L.).
I.L. to be 0.40dB or better measured with a 850 nm source

Type #	Length	Article #
FA1LCST	1 meter	855-34202
FA2LCST	2 meter	855-34215
FA3LCST	3 meter	855-34228

Material ASSEMBLED	Units: millimeters Dimension without tolerances details to: .XXX = ±.013 .XX = ±.13 .X = ±.3 None = ±.8 < = ±0.5° Dimension Formatted mm/[in]	The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.	Drawn GRW 5/28/2016	 North America Email: corp@htamericas.com Web: www.hellermann.tyton.com	Article/Type-No FA_LCST	Scale 1:1
	Approved KAC 5/28/2016		Title MULTIMODE DUPLEX LC TO ST FIBER CABLE		Project Number PRP 16-0382	
	Drawing-No 16-0382-001-CSU		PRODUCTION : Phase		Format AH	
					Sheet 1/1	